

SMH SURFACE MOUNT CEILING HEATERS

What is a Surface Mount Ceiling Heater?

A robust and reliable heater designed for space heating commercial premises with solid ceilings, such as shops, cafés, and schools. These ceiling heaters free up valuable wall space and can be surface-mounted or suspended, providing flexible installation options to suit any environment. Now available in a choice of black or white finishes for a sleek, modern appearance.



Key Features

- Compact design – only 152mm high
- Keyhole screw fixing or suspend from drop rods (M6 threaded holes provided)
- Models with a 'T' suffix have adjustable electronic thermostat
- All models can be controlled via the CS-8, CS-9, CS-DT and CS-WIFI controllers due to some heaters' having internal relays
- For multi-heater installations see SystemX (page 18-19)



Energy Saving Tip









Control with a 7-day programmable thermostat to keep your running costs to an absolute minimum.



SMH Surface Mount Ceiling Heaters

Model	kW	Finish	Built-in Thermostat
SMH-30	3.0	White	No
SMH-30B	3.0	Black	No
SMH-30T	3.0	White	Yes
SMH-45R	4.5	White	No
SMH-60	6.0	White	No

Controls

	Description	Model	Details
	Switch for single fan heater (on/off/high heat/low heat/fan only)	CS-8 NEW	Page 134
	Switch for two fan heaters (on/off/high heat/low heat/fan only)	CS-9 NEW	Page 134
	Electronic thermostat 16A with built-in CS-8 switch	CS-DT NEW	Page 135
	WiFi thermostat 16A with built-in CS-8 switch	CS-WIFI NEW	Page 135
	Electronic programmable thermostat 16A (recessed)*	RD16	Page 122
	Wi-Fi electronic thermostat 16A (recessed - free app)*	WD16	Page 123
	Adjustable room thermostat 16A	RST3-IN	Page 120
	Tamperproof room thermostat 16A	RST3-TP	Page 120

*Tamperproof function available on these models

Technical

kW		Volts	Airflow (m³/h)	dB*@2m	Recommended Mounting Height(m)		Dimensions(mm)			Weight (kg)
High	Low				Min	Max	W	D	H	
3.0	2.0	230	245	56	2.4	3.0	575	392	152	8.0
4.5	2.25	230	345	59	3.0	4.5	575	392	152	11.0
6.0	4.0	230	490	58	2.4	3.0	575	592	152	12.5

*Noise levels are factory tested not laboratory tested



Stores Area

Location: Swansea, Wales

Installed: 2 x 3kW Surface Mount Fan Heater in black finish



The Rural Auction Centre

Location: Milnthorpe, Cumbria

Installed: 7 x 6kW Surface Mount Ceiling Heaters