


SWD INDUSTRIAL FINNED TUBULAR HEATERS

What is an Industrial Tubular Heater?

A rugged and reliable IP66 rated stainless steel finned tubular heater. This heater is designed to live and operate in damp/corrosive environments such as industrial kiosks, water treatment facilities, lift shafts and pumping stations. It's a real 'fit and forget' product and can be used to space heat or provide frost protection.



Key Features

- Welded stainless steel construction
- Waterproof glass fibre terminal box IP66 rated
- Brackets for wall or floor mounting and M20 cable gland supplied as standard
- Available with or without built-in thermostat
- Optional zinc plated wire guards available



Energy Saving Tip

Select a SWD-A model with a built in energy saving thermostat.



SWD Industrial Finned Tubular Heaters

Model	kW	Volts	Built-in Thermostat	Guard
SWD-A-500	0.5	230	Yes	SWG-1
SWD-A-1000	1.0	230	Yes	SWG-2
SWD-A-1500	1.5	230	Yes	SWG-3
SWD-A-2000	2.0	230	Yes	SWG-3
SWD-A-3000	3.0	230	Yes	SWG-4
SWD-U-500	0.5	230	No	SWG-1
SWD-U-1000	1.0	230 or 400/3	No	SWG-2
SWD-U-1500	1.5	230 or 400/3	No	SWG-3
SWD-U-2000	2.0	230 or 400/3	No	SWG-3
SWD-U-3000	3.0	230 or 400/3	No	SWG-4
SWD-U-4000	4.0	230 or 400/3	No	SWG-5
SWD-U-500-1	0.5	110	No	SWG-1
SWD-U-1000-1	1.0	110	No	SWG-2
SWD-U-1500-1	1.5	110	No	SWG-3

Technical

kW	Dimensions (mm)			Weight (kg)	Optional Guard
	L	W	H		
0.5	440	130	170	3.0	SWG-1
1.0	640	130	170	4.8	SWG-2
1.5	840	130	170	6.2	SWG-3
2.0	1040	130	170	7.7	SWG-3
3.0	1440	130	170	10.9	SWG-4
4.0	1840	130	170	13.7	SWG-5

Optional Guards

Model	Dimensions (mm)			Weight (kg)
	L	W	H	
SWG-1	450	240	240	1.0
SWG-2	650	240	240	1.5
SWG-3	1075	240	240	2.0
SWG-4	1600	240	240	3.5
SWG-5	1900	240	240	4.0



Control Room

Location: Various UK Locations

Installed: 1 x 500W Industrial Finned Tubular Heater with Thermostat



Industrial Kiosk

Location: Various Worldwide Locations

Installed: 1 x 1kW Industrial Finned Tubular Heater with Thermostat